

# The Way to Fish®







#### YEARS OF QUALITY, INNOVATION AND CUSTOMER SERVICE

A family business for over 66 years, Scott Plastics Ltd. has grown from a local BC company to operating and shipping worldwide. The company is now situated near the YYJ Victoria International Airport in an 85,000 sq.ft. manufacturing plant built in 2000, and has recently expanded. The Scotty trademark has become recognized to mean product excellence. The total commitment to quality, fair pricing and unmatched service means our customers everywhere can expect reliability and satisfaction from every product that carries the Scotty name. This commitment has taken us to where we are today and will hopefully serve us well for many years to come. All products are backed by years of manufacturing experience and the highest quality customer service. Excellent vendor support and a superior product have made Scotty a leader in the fishing industry.

In 1952, Blayney Scott and his wife Almeda Scott started a small company in Victoria British Columbia that pioneered the use of plastics in the manufacturing of salmon fishing, lures and other marine products. From humble beginnings, Scott Plastics Ltd. evolved to produce thousands of products under the Scotty trademark which are sold to the fishing, marine, outdoor and firefighting industries worldwide.

#### **SCOTTY: THE WAY TO FISH!**



**SCOTTY** | FISHING & OUTDOOR PRODUCTS

## **SCOTTY FISHING & OUTDOOR PRODUCTS LOCATION**



### **STAY CONNECTED**

f	FACEBOOK @scottyfishingproducts

- **INSTAGRAM** O #scottyproducts
- 9 TWITTER @scottyproducts
- YOUTUBE #scottyproducts

www.scotty.com www.scottypaddlesports.com www.scottyfire.com

### LEGEND

O=	• Water Surface Best suited for still water
No.	Vessel Recommendation Suited for paddle sports
	No assembly required
	Factory and field tested

**○**○● Colour options

# **PHOTO CREDITS**

Cover

Page 5

Page 5

Page 5

Page 5

Page 9

Page 11

Page 13

Page 15

Page 26

Page 30

Page 35

Page 37

Page 39

Page 41

Page 43

Page 45

Page 46

Page 47 Page 48

Page 52

Page 56 Page 59

Page 60

Page 64

Page 65

United States

Derek Ford Photography
Silver Streak Boats
Bill DePriest/Pacific Coast Sports Fishing Magazine
Derek Ford Photography
Hobie
Derek Ford Photography
Bill DePriest/Pacific Coast Sports Fishing Magazine
Fougere Family Adventures
Sea Eagle Boats Inc.
Derek Ford Photography
KingFisher Boats
Pelican Kayaks
Pelican Kayaks
Stryker Boats
Derek Ford Photography
Derek Ford Photography
Derek Ford Photography
Pelican Kayaks
Dustin Doskocil Photography
Kayak Angler Magazine/Rapid Media







## CONTENTS

#### CHOOSING YOUR DOWNRIGGER 6

#### **DOWNRIGGERS**

- what is a Downrigger 6
- 8 high performance
- 10 depthpower
- 12 manual
- 14 compact
- 15 lake troller

#### **DOWNRIGGER PARTS** & ACCESSORIES

- 17 cable & line
- **18** parts & accessories
- 20 downrigger tackle

#### LINE RELEASES

- 22 power grip plus
- 22 mini power grip plus
- 23 snapper
- 23 mini snapper
- 23 hairtrigger

#### LINE PULLERS

- 24 electric
- 24 manual

#### **ROD HOLDERS**

- 26 orca
- 28 striker
- **30** power lock
- 32 rodmaster & rodmaster II
- 33 rocket launcher
- 33 side winder
- **34** baitcaster spinning
- 36 fly rod

#### MOUNTS

- **39** electronic mounts
- 40 ball mounting system
- 42 post mounts
- 43 adapters
- **43** triple mounting system
- **44** downrigger mounts
- **45** compact downrigger mounts
- **45** downrigger dual rod holder
- **46** low profile track
- 47 gear head
- 48 glue/stick on mounts

#### ACCESSORIES

- **51** fishing accessories
- 52 extensions & adapters
- 54 bait board
- 55 bait jars
- 56 anchor lock
- **57** boat accessories

#### **PADDLE SPORTS**

- **59** stand up paddle board
- **60** kayak accessories

#### **SAFETY EQUIPMENT**

- 63 pumps 64 sea-light

#### **65 SOCIAL MEDIA**

- **JORDAN-SCOTTY**
- 66 fish egg incubator systems

# What is a **Downrigger?**

#### FIGHT THE FISH, NOT THE FISHING GEAR

principal reason: to allow anglers to the end of the wire. The lure or troll their lures at a specific depth. Years of testing and practical use have shown that a moving bait or lure in the water, trolled at the depth where fish are present, is the best way to ensure a hookup and to get results. Downriggers improved both trolling results, and the fun factor. They put the sport back in sport fishing. The earliest Downriggers were very simple in form, generally consisting of a spool of wire mounted to the

Downriggers were created for one boat with a heavy weight hung on bait was attached directly to the Downrigger weight and did not release when a fish struck. The angler had to wind up both the weight and the fish. This concept of deep trolling became popular with sport fishermen when the idea of attaching a rod to the Downrigger, by means of a release first Downrigger over 40 years clip, was introduced. A release clip ago and now produces the most fishing line from the rod is clipped into the release. The Downrigger

weight is then lowered to precisely the depth required. When a fish hits, the line is released from the Downrigger wire, leaving the heavy weight on the Downrigger. The angler is then free to fight the fish on the rod and reel alone. without the added drag of heavy lines and trolling weights used in the past. Scotty introduced its is attached to the wire and then the complete range of Downriggers and accessories in the world.

10lb.

222 ft./min


5 amps

235 ft./mi

15lb.

203 ft./min.

8 amps



Clip your fishing line to the **Downrigger line** using a Scotty Power Grip line release.

Loosen the drag on your fishing reel and carefully let the Downrigger line out to a specific depth.

# **Choosing your Downrigger** ELECTRIC DOWNRIGGER SPECS

All Electric Models have 12 v Marinco™ corrosion resistant plug + socket, locking tilt up mount, large surface automatic brake, spray protected positive-drive depth counter, Kevlar™ belt driven and an auto stop with jog button feature. EACH SCOTTY DOWNRIGGER IS FACTORY ASSEMBLED AND LOAD TESTED.

2106	2106B	2116	1099	1101	1106	11000	1110
		PROPACK			1100	1106B	1116 PROPACK
			250.6	250 (1	250 (1		
300 ft.		300 ft.	250 ft.	250 ft.	250 ft.		250 ft.
••••							
						300 ft.	
	300 ft.						
0	0		SOLD SEPARATELY	۲	Ø	Ø	Ø
1170	1170	1170 & 1171	1170	1170	1170	1170	1170 & 117
470 ROCKET LAUNCHER	470 ROCKET LAUNCHER	447 DUAL ROCKET LAUNCHER	355 RODMASTER II	358 RODMASTER II	358 RODMASTER II	358 RODMASTER II	247 DUAL RO HOLDEF
$\bigcirc$	Ø	Ø	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY		Ø
36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	24" FIXED	30" FIXED	36" - 60" TELESCOPIC	36" - 60" TELESCOPIC	36" - 60' TELESCOP
	© 1170 470 ROCKET LAUNCHER © 36" - 60"	300 ft.     Image: Solution of the second seco	300 ft.       300 ft.       ©     ©       1170     1170       1170     1170       470 ROCKET LAUNCHER     470 ROCKET LAUNCHER       0     470 ROCKET LAUNCHER       0     50° + 60°       36° - 60°     36° - 60°	300 ft.     300 ft.       300 ft.     300 ft.       300 ft.     300 ft.       300 ft.     Sold       Sold     Sold <	300 ft.     300 ft.     300 ft.       300 ft.     300 ft.     300 ft.       300 ft.     300 ft.     500 ft.       300 ft.     500 ft.     500 ft.       1170     1170     1170       1170     1170     1170       1170     1170     1170       Afroeckert LAUNCHER     Rodkaster LAUNCHER     Rodmaster II       Solution     500 separately Separately     500 separately Separately       36" - 60"     36" - 60"     24"	300 ft.   300 ft.   300 ft.   100 ft.   100 ft.     300 ft.   300 ft.   500 ft.   100 ft.   100 ft.     300 ft.   300 ft.   500 ft.   500 ft.   100 ft.     300 ft.   Image: Solid separately for the	300 ft.   300 ft.   300 ft.   300 ft.   300 ft.     300 ft.   300 ft.   300 ft.   300 ft.   300 ft.     300 ft.   300 ft.   Separately   Separately   Separately   Separately     1170   1170   1170 & 1171   1170   1170   1170   1170     1170   1170   1170 & 1171   1170   1170   1170   1170     Afroekeet   Rockeet   Rodmaster   Rodmaster   Rodmaster   Rodmaster   1170     Separately   Separately   Separately   Separately   Separately   Separately   Separately   Separately     Separately   Sold   Sold   Sold   Sold   Sold   Sold     Separately   Sold   Sold   Sold   Sold   Sold   Sold   Sold     Separately   Sold   Sold

295 ft./min. 260 ft./mi

14.5 amps 19.5 amps

Retrieval Speed

Amperage Draw

Retrieval Speed 304 ft./min.


Amperage Draw 13 amps

MANUAL DOWNRIGGER SPECS

	MANUAL			СОМРАСТ			LAKETROLLER	
	1080 STRONGARM	1085 STRONGARM	1091 LONGARM COMBO PACK	1050 DEPTHMASTER	1050MP MASTERPACK	1060 DEPTHKING	1071 CLAMP MOUNT	1073 BRACKET MOUNT
PREMIUM 150 LB. TES STAINLESS STEEL CABLE	5T 200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	200 ft.	100 ft.	100 ft.
LOCKING TILT-UP MOUNT	Ø	۲	Ø	N/A	N/A	N/A	N/A	N/A
POWER GRIP PLUS LINE RELEASE MODE NUMBER	L 1170	1170	1170	1170	1170	1170	1181 Mini Grip	1181 Mini Grip
ROD HOLDER MODEL	355 RODMASTER II	358 RODMASTER II	358 RODMASTER II	355 RODMASTER II	355 RODMASTER II	355 RODMASTER II	N/A	N/A
WEIGHT STORAGE HOOK	SOLD SEPARATELY	SOLD SEPARATELY	SOLD SEPARATELY	N/A	N/A	N/A	N/A	N/A
STAINLESS STEEL BOOM - LENGTH	24" FIXED	30" FIXED	36"- 60" TELESCOPIC	23" FIXED	23" FIXED	23" FIXED	12" FIXED	12" FIXED
LARGE SURFACE AUTOMATIC BRAKE	۲	Ø	Ø	Ø	Ø	Ø	MANUAL DRAG BREAK	MANUAL DRAG BREAK
SPRAY PROTECTED POSITIVE-DRIVE DEPTH COUNTER	۲	Ø	Ø	Ø	Ø	Ø	N/A	N/A
SPOOL DIAMETER FT PER TURN	2 ft.	2 ft.	2 ft.	1 ft.	1 ft.	2 ft.	1 ft.	1 ft.

FEIIME

ARRANTY



# High Performance

Scotty High Performance Electric Downriggers have reached the highest performance and reliability standards yet, while remaining competitively priced. Thousands of anglers now enjoy the superior speed, power and years of reliability that only Scotty offers. Scotty's custom designed marine components and final quality control tests produce a Downrigger that is unmatched in the industry.

#### **FEATURES INCLUDED** WITH ALL HIGH **PERFORMANCE MODELS**

Power Grip Plus 18" (1170)

**Rod Holder** y Rocket Launcher (469)

**Mounts** Tilt-up Mounting Bracket (1023)

Swivel Mount (1026)

Right Angle Marinco<sup>®</sup> Receptacle Mount (2128)

Auto Stop (1121)

Auto Stop Beads

Weight Storage Storage Hook (1148)

**Power Source** (B) Marinco<sup>®</sup> 12V Plug & Receptacle (2125)

Power cord length, 40"


Q Downrigger Cable/Line 300 ft. of 180 lb. test stainless steel cable, 300 ft. of 250 lb. test braided line (2106B model)

Counter Digital Illuminated LCD (2132)

**Factory & Field Tested** s

Fully Assembled

Ì Warranty Limited Lifetime





#### 2106

HIGH PERFORMANCE The Downrigger of choice for serious fishermen. Unmatched in power, performance and reliability. Equipped with 300 ft. of 180 lb. test stainless steel cable. 36"-60" 1¼" telescopic stainless steel boom.



2106B **HIGH PERFORMANCE** 





#### 2116

**HIGH PERFORMANCE PROPACK** 

The number one choice in performance Downriggers for the charter captain. Equipped with 300 ft. of 180 lb. test stainless steel cable and our stainless steel rocket launcher dual rod holders. 36"-60" 1¼" telescopic stainless steel boom.

Power and performance packaged with our strongest braided Downrigger line. Equipped with 300 ft. of 250 lb. test braided line. 36"-60" 11/4" telescopic stainless steel boom.

# Depthpower

Scotty Depthpower Electric Downriggers have the highest performance and reliability standards ever, while remaining competitively priced. Thousands of fishermen now enjoy the superior speed, power and years of reliability that only Scotty offers. From custom designed marine motors to the final quality control tests, Scotty performance is unmatched in the industry.

#### FEATURES INCLUDED WITH ALL DEPTHPOWER MODELS

Power Grip Plus 18" (1170)

**Given States Rod Holder** Rod Master II (358)

Tilt-up Mounting Bracket (1023)

> Swivel Mount (1026), (except 1099 model)

Right Angle Marinco<sup>®</sup> Receptacle Mount (2128)

Auto Stop (1121)

○ 4 Auto Stop Beads

Weight Storage Storage Hook (1148) (1106B & 1116 only)

Power Source Marinco® 12V Plug & Receptacle (2125)

Power cord length, 40"

Downrigger 250 ft. of 150 lb. test stainless steel cable. 300 ft. of 200 lb. test braided line (1106B model only)

Counter Mechanical (1145)

Factory & Field Tested

Fully Assembled

Warranty Limited Lifetime



Mechanical depth counter



#### **1099** COMPACT

All the performance features in an easy to stow compact size. Equipped with 250 ft. of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.

# 1101

**DEPTHPOWER** Designed for heavy duty use, this unit will handle long hours and heavy weights in tough conditions. Equipped with 250 ft. of 150 lb. test stainless steel cable. 30" long, 1<sup>1</sup>/<sub>4</sub>" dia. boom.

#### 1106B DEPTHPOWER

All the features you have come to love with our depthpower series. Now available with more options than ever. Equipped with 300 ft. of 200 lb. test braided line. 36"-60" long, 1¼" dia. telescopic boom. Included, Downrigger weight storage hook and surestop tackle.

### 1116 PROPACK

The top choice of charter captains. Equipped with 250 ft. of 150 lb. test stainless steel cable. 36"-60" long, 1¼" dia. telescopic boom. Heavy duty adjustable dual rod holder included.







## DEPTHPOWER

Our most popular electric Downrigger. Equipped with 250 ft. of 150 lb. test stainless steel cable. 36"-60" long, 1¼" dia. telescopic boom.





Want to protect it? Wrap it up!

**3015** DOWNRIGGER COVER

# Manual

Scotty Manual Downriggers have been the preferred choice of anglers for over forty years. They are engineered with a number of exclusive features contained in no other Downrigger.

#### FEATURES INCLUDED WITH ALL MANUAL MODELS







#### 1080 STRONGARM

This Downrigger has outstanding features for small and intermediate size boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 24" long, 1" dia. boom.

#### 1085 STRONGARM

test stainless steel cable. 30" long 1¼" dia. boom.





#### 1091 LONGARM

The heavy duty workhorse of the Scotty manual lineup. Excellent for the intermediate size boat. Equipped with 200 ft. of 150 lb.

Ideal for big boats. Equipped with 200 ft. of 150 lb. test stainless steel cable. 36-60" long 1¼" dia. telescopic boom. Includes 1026 Swivel Mount.

# Compact

The Depthmaster and Depthking models offer more value for the anglers than anything else on the market. The price and operating features of these units beat the competition hands down.

#### **FEATURES INCLUDED** WITH ALL COMPACT MODELS





1050 MP

1050 DEPTHMASTER The perfect introductory Downrigger. One foot per turn of the spool. 23" long, ¾" dia. boom.



# Lake Troller

Laketroller Downriggers built for the smaller boat. Great for aluminum boats, kayaks and canoes.

### **FEATURES INCLUDED**






1071 **CLAMP MOUNT** 

Comes with fully portable engineering grade modified nylon clamp for mounting on the gunnel or transom (2" opening) Great for aluminum boats and canoes. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.



Mounting bracket permits mounting on a flat deck surface or on the side of a gunnel or transom. The mounting design gives 360° of rotation. Comes with a 241 Side Deck mount. 1 ft. per turn of the spool. Includes 1181 mini power grip line release.





# **Downrigger Parts & Accessories**

0

0

0

6




Braided Downrigger Lin

OO LB. TEST

POWER GRIP PLUS 60" Downrigger Release Clip

# **Downrigger Cable** & Line



Downrigger Cable

SO LB. TES

Cable

1000

200 ft.

1001

300 ft.

1002

**1000K** 

400 ft.

200 ft.

**1000** SERIES

**Premium Stainless** 

150 lb. TEST

**Steel Downrigger** 



**2400 SERIES** Premium Stainless Steel **High Performance** Stainless Steel Downrigger Cable 2000 SERIES Downrigger Line







2400K

2401K

2402K

with terminal tackle

with terminal tackle

with terminal tackle

200 ft.

300 ft.

400 ft.



Braided

2200K 200 ft.

1001K 300 ft. with terminal tackle

with terminal tackle

1002K 400 ft. with terminal tackle



-----


**2400** SERIES **High Performance** 

Stainless Steel **Downrigger Cable** 180 lb. TEST

with terminal tackle 2201K 300 ft. with terminal tackle

2202K 400 ft. with terminal tackle





Heavy Duty Braided



**2700 SERIES** Premium Braided Downrigger Line



**2800 SERIES** Low Drag Braided Downrigger Line









Heavy Duty Downrigger Line

250 lb. TEST



**Premium Braided** Downrigger Line

200 lb. TEST

2700K 200 ft. with terminal tackle

2701K 300 ft. with terminal tackle

2702K 400 ft. with terminal tackle **2800** S E R I E S

Low Drag Braided Downrigger Line

### 150 lb. TEST

2800K 200 ft. with terminal tackle

2801K 300 ft. with terminal tackle

2802K 400 ft. with terminal tack

17

SCOTTY | FISHING & OUTDOOR PROD

# **Downrigger Parts** & Accessories







1140 1035 FAIRLEAD FOR 3/4" DOWNRIGGER BOOM 1" REPLACEMENT MOUNTING 1141 BOLTS (2 pcs) FAIRLEAD FOR 1" DOWNRIGGER BOOM 1135 1149 FAIRLEAD FOR 11/4" DOWNRIGGER BOOM BOLTS (2 pcs)



1147 DOWNRIGGER WEIGHT HOOK For 1" boom. 1148 DOWNRIGGER WEIGHT HOOK For 1¼" boom.



**2" REPLACEMENT MOUNTING** 

1142 MANUAL DOWNRIGGER HANDLE



1139 DOWNRIGGER LEAD WEIGHT 1014



1158 DEPTHPOWER DOWNRIGGER SPARE PARTS KIT 1159 HIGH PERFORMANCE DOWNRIGGER **SPARE PARTS KIT** 



DOWNRIGGER PULLEY UPGRADE DOWNRIGGER PULLEY **REPLACEMENT KIT** 



SPARE DRIVE BELTS **1128** For 2 belt Depthpower Downriggers, **EMERGENCY CRANK HANDLE** 2000 models and earlier, dual belt model. **1129** For 1 belt Depthpower Downriggers, 2001 models and later. **2129** For High Performance Downriggers and Line Puller (2500)



1034 4<sup>1</sup>/<sub>2</sub>" DOWNRIGGER MOUNTING BOLT (2000 models and earlier) 1134 **6" DOWNRIGGER/LINE PULLER** 

MOUNTING BOLT (2001 Downrigger models and later)



3134 DOWNRIGGER LOCKING PLATES For electric or manual downriggers (3 pcs) (locks sold separately)



3022 WEIGHT MATE Holds your Downrigger weights securely. (2 pcs) 00



1132 For Electric Downriggers.



1146 MANUAL COUNTER WITH BASE



1145





1024 MANUAL COUNTER COVER

1131

## Power Accessories





1125 HELLA ELECTRIC PLUG AND SOCKET Maximum 12 volt 18 amp applications. 1126 HELLA ELECTRIC SOCKET 1127 HELLA ELECTRIC PLUG





2127 MARINCO<sup>®</sup> 12V DOWNRIGGER PLUG

2126 MARINCO<sup>®</sup> 12V DOWNRIGGER RECEPTACLE 2125 MARINCO<sup>®</sup> 12V DOWNRIGGER PLUG AND RECEPTACLE (2127/2126)

1017

3 lb. finned.



DEPTHPOWER COUNTER WITH BASE

2132 HIGH PERFORMANCE DIGITAL COUNTER



DEPTHPOWER REPLACEMENT LID

2131 HIGH PERFORMANCE REPLACEMENT LID WITH DIGITAL COUNTER

2128 **RIGHT ANGLE RECEPTACLE MOUNT** For Marinco<sup>®</sup> Downrigger Receptacle.

# **Downrigger Parts & Accessories** DOWNRIGGER TACKLE



2008 (6 pcs) 2008-24 (24 pcs) AUTO STOP BEADS For braided line.



1004 CONNECTOR SLEEVES (10 pcs)



1150 225 LB. TEST COASTLOCK SNAPS (2 pcs)



1153 **TERMINAL TACKLE** 



1038 CABLE COUPLER



1008 STOPPER BEADS For stainless steel cable (3 yellow & 3 black)



1157 STAINLESS STEEL THIMBLE SET (2 pcs)



1151 **350 LB. TEST COASTLOCK SNAP** WITH SAMPO® SWIVEL



1011 DOUBLE LINE CONNECTOR SLEEVES (10 pcs)



1039 SOFT STOP BUMPERS For snap hooks (4 pcs)



1008-24-BK (24 pcs) 1008-24-YL (24 pcs) STOPPER BEADS For stainless steel cable.



1154 **TERMINAL TACKLE** 



1152 **350 LB. LARGE COASTLOCK SNAPS** (2 pcs)



1007 **RELEASE CLIP LOCATORS** (10 pcs)



1009 **INSULATING DOWNRIGGER WEIGHT SWIVEL HOOKS** (2 pcs)



373 DIVER SNUBBER (2 pcs)

1161 **DUMMY FLASHER RIG** (2 pcs)





**370** TROLLING SNUBBER With Ball bearing swivel and Self Locating Snap. **371** TROLLING SNUBBER With Self Locating Snap.

374 SURE STOP ELECTRIC DOWNRIGGER STOPPER SYSTEM For 30 & 60" Downrigger booms.

# **SURE STOP PRO**







1156 **3" SELF LOCATING SNAP** Stainless steel (2 pcs) 1155 **5" SELF LOCATING SNAP** Stainless steel (2 pcs)



DOWNRIGGER WEIGHT RETRIEVER A safety precaution for the Downrigger fisherman. Brings your weight in for rigging lines and releases without having to lean out over the gunnel.

# Line Releases

Fishing line is gripped between the soft pads and variable release tension is attained by moving the line in or out of the jaws. The "tension adjuster" doubles the holding power if needed. Streamlined design won't snag on weeds or foul lines.



POWER GRIP

1170 18" **POWER GRIP PLUS** Monofilament leader with Cannonball Snap.



- 1. Attach to your Downrigger Cable or Cannonball.
- 2. Attach your fishing line to the Power Grip release by squeezing the jaws apart and placing your fishing line between the pads. The release tension is lighter at the outer tip, and is heavier the further into the jaws you place the line.
- 3. The tension adjuster can be moved forward to decrease or back to increase the release tension.





1171 18" **1172** 30" **1173** 48" **1178** 60" POWER GRIP PLUS Monofilament leader with Self Locating Snap.



**1176** 6" **1179** 30" **1191** 48" 1192 60" **POWER GRIP PLUS** Stacker with monofilament leader and

1177 **POWER GRIP PLUS** 

Planer Board Snap.

Cannonball Snap.

MINI POWER GRIP PLUS

Planer Board Snap (4 pcs)

MINI POWER

**GRIP PLUS** 

**MINI POWER GRIP PLUS** 

MINI POWER GRIP PLUS

Wire leader with Self Locating Snap.

Wire leader with Cannonball Snap.

1181 18"

**1180** 18"

1183 30"

1182

1190 POWER GRIP PLUS PADS (6 pcs)

# SNAPPER

# HAIRTRIGGER



**1041** 18" **1049** 30" 1040 48" SNAPPER RELEASE CLIP Monofilament leader with Self Locating Snap.



1005 Original Style Downrigger Release. SNAPPER RELEASE CLIP Monofilament leader with Cannonball Snap.



1043 SNAPPER RELEASE CLIP Planer Board Snap.

SNAPPER RELEASE CLIP

Wire leader with Cannonball Snap.

1042 18"

1045 7"



Release (3 pcs)



1022 Extra pins for hairtrigger release clips (3 pcs)



SNAPPER RELEASE CLIP Stacker with monofilament leader and Cannonball Snap.





# MINI SNAPPER



HAIRTRIGGER RELEASE CLIP Release clip attaches directly to the Downrigger line. Simple and effective.



1046 18" MINI SNAPPER RELEASE CLIP Monofilament leader with Self Locating Snap.



1047 18" MINI SNAPPER RELEASE CLIP Monofilament leader with Cannonball Snap.



Extra Pins for Original Style Downrigger



1048 MINI SNAPPER RELEASE CLIP Planer Board Snap (4 pcs)





# **Line Puller**

High torque 12 volt motor pulls 1 crab trap or 4 prawn traps. 120 fpm retrieval speed. 19 amp draw at 50 lbs. Accommodates  $\frac{1}{4}'' - \frac{3}{8}''$ line. Compact size makes for easy stowing. Heavy duty stainless steel and composite construction. Easy access on/off switch. Scotty/ Marinco<sup>®</sup> plug, receptacle and mount included. 40" power cable length. For recreational use only.

#### FEATURES INCLUDED WITH LINE PULLER

Mounts Non-tilting Mounting Bracket

Es s **Power Source** Marinco<sup>®</sup> 12V Plug & Receptacle (2125)

ŧ١ Power Cord length 40"

**Ampage Power** 19 amp draw at 50 lbs. ø

**Factory & Field Tested** 

**Fully Assembled** 

Warranty 2 year



2515 LINE PULLER STOW-AWAY BAG This durable stow-away bag protects your Scotty Line Puller from the elements when not in use.



2500 LINE PULLER

The ultimate crab and prawn trap pulling machine. 12" stainless Easy wrap capstan steel boom.

2 JOINN

# **Trap-Ease**

Crab and prawn trap roller for easy retrieval. Fits all Scotty post mounts.

On/off switch O

749 TRAP-EASE No mount.

750 TRAP-EASE 241 Side Deck Mount.

0

Pivoting pulley

Stainless

• o steel boom

and Bank



Don't forget to check out our large selection of Bait Jars on page 55

**SCOTTY** | FISHING & OUTDOOR PRODUCTS



Rod Holders ORCA

The inner sleeve opens in one smooth motion allowing your rod to be released in an instant. With one quick motion, your fishing rod is lifted straight out into the fish fighting position.



**400** 241 L Locking Side Deck Mount.

244L Locking Flush Deck Mount.

401



SMOOTH EASY OPEN ACTION



LOCKING TAB TO PREVENT ROD LOSS WHILE TRAVELING

> **405** 459 Double Ended Extender.

All post mount Scotty Rod Holders are fully adjustable and interchangeable.

**SCOTTY** | FISHING & OUTDOOR PRODUCTS

fours



# Rod Holders STRIKER

Designed and built tough for Salmon, Muskie, Halibut, Sturgeon, and other big game fish. Stainless steel reinforced post with an oversized opening and easy lock/unlock collar. The inner support rotates with the rod to instantly remove and strike simultaneously.

### LOCKING COLLAR



UNLOCKED



LOCKED



# Rod Holders POWER LOCK

Scotty's most popular valuepriced, positive-locking, open style rod holder. Universal cradle holds almost any reel type. Fibre reinforced engineering grade nylon provides strength, resilience and reliability.



## LOCKING COLLAR



UNLOCKED

LOCKED



330 259 Height Extender and 241 Mount.



**256** Triple with 257 and 241 Mounts.



**339** 449 Clamp and 241 Mount. (maximum clamp opening 2")

230 241 Side Deck Mount. ○○●

231 244 Flush Deck Mount. 00●





# Rod Holders ROD MASTER

# ROCKET LAUNCHER



250 241 Side Deck Mount.



251 244 Flush Deck Mount.

350

# ROD MASTER II



255 Fits  $\frac{3}{4}$ " and 1" Scotty Downrigger booms.





258 Fits 1¼" Scotty Downrigger boom.



349 No mount.



355 Fits 3/4" and 1" Scotty Downrigger booms.

351 244 Flush Deck Mount.



358 Fits 1 ¼" Scotty Downrigger boom.



469

No mount.





479 No mount.







476 241 Side Deck Mount.

# SIDEWINDER





222 SIDEWINDER 5/16" stainless steel construction. 237 Triggerlock Mount Included. 223 SIDEWINDER no mount (not shown)

# Rod Holders BAITCASTER SPINNING

Holds a bait caster reel securely in the cushioned cradle. A slot in the front of the rod holder allows for secure holding of a spinning reel. This rod holder is designed with a side mounted flange which leaves the bottom open, this allows for the rod holder to accommodate trigger grips. Rods can be secured with a soft latching strap which snaps over the top for baitcaster or under the bottom for spinning reels.



243 1<sup>1</sup>/<sub>4</sub>" Square Rail Mount.



449 Clamp and 241 Mounts. Maximum clamp opening 2".



No mount.



281 244 Flush Deck Mount.



**282** 438 Gear Head and 440-4 Track.







# Rod Holders FLY ROD

Innovative compact design allows for hands free trolling with a Fly Rod. Your rod can be secured in the rod holder with the soft latching strap which snaps over the top. Works well with "short butt" fly rods. All post mount Scotty Rod Holders are fully adjustable.





260 No mount.

**265** 241 Side Deck Mount.



**264** 244 Flush Deck Mount.



**267** 241 and 266 Float Tube Mounts.





# ELECTRONIC MOUNTS



This uses a multi pattern universal top plate

and adjustable rotation.



268 FLOAT TUBE FISHFINDER MOUNT Adapt a fishfinder to your float tube or pontoon boat. Includes transducer bracket and the post mount design for quick removal and 6' strap.



272 SWIVEL FISHFINDER MOUNT Mount only.

269 SWIVEL FISHFINDER MOUNT 241 Side Deck Mount.

## **Transducer Mounts**

S

Designed for kayaks and small boats. Made from high strength composite materials. Adjustable arms allow for multiple depths and angles. Collapses easily for storage. 415 slip disks for micro adjustments.





TRANSDUCER ARM 438 Gear Head and 440-4" Low Profile Track.



135 CAMERA MOUNT This mount is fully twistable, turnable, rotatable and best of all, instantly portable. Locks down a sport or standard camera without needing a special adapter.





SWIVEL FISHFINDER MOUNT 244 Flush Deck Mount.



# Mounts BALL MOUNTS





**162** 1 ½**" BALL MOUNT** Gear Head, post & Side Deck Mount

**163** 1½ " BALL MOUNT Fish Finder & Universal Mounting Plate

**150 1" BALL MOUNT** Universal Mounting Plate



**151 1" BALL MOUNT** Gear Head & track



**152** 1" BALL MOUNT Gear Head, post & Side Deck Mount

The ball mounting system design enables a smooth, full range of motion. The corrosion proof construction provides a long service life in both fresh and salt water applications. The Gear Head's effortless drop and lock system allows for secure and re-position post mount accessories with just a twist. The 163 top plate has been designed to accept large fish finders.



**SCOTTY | FISHING & OUTDOOR PRODUCTS** 

# **Mounts** POST MOUNTS

241 SIDE DECK MOUNT Can be mounted on top or side of your gunnel. 000



241L LOCKING SIDE DECK MOUNT A 241 mount with an easy to use lock and unlock push button system.



344 **ROUND FLUSH DECK MOUNT** Sealed base for watertight applications.

# **ADAPTERS**



237 TRIGGERLOCK Designed for 222 Sidewinder Rod Holder and 1015 Right Angle Mount.



RAIL MOUNT ADAPTER Works in conjunction with 237 Triggerlock Mount (7/8" and 1" round rails)



444

water tight applications.

COMPACT THREADED DECK MOUNT Use on gunnels up to 2" thick. Base cap for



244 FLUSH DECK MOUNT Sealed base for watertight applications.  $\mathbf{OO}\mathbf{O}$ 



244L LOCKING FLUSH DECK MOUNT Locks and unlocks your post mount product easily by sliding a lever.



242 RAIL MOUNT ADAPTER Works in conjunction with 241 Side Deck Mount (%" and 1" round rails)  $\mathbf{0}\mathbf{0}\mathbf{0}$ 



340 TRACK ADAPTER



243 1<sup>1</sup>/<sub>4</sub>" SQUARE RAIL MOUNT



248 OARLOCK MOUNT Use the oarlock mount on your row boat to mount any Scotty post mount rod holder or accessory.



245 1<sup>1</sup>/<sub>4</sub>" ROUND RAIL MOUNT



449 **CLAMP MOUNT** Fully portable mounting option for all Scotty post mount rod holders and accessories, maximum clamp opening 2".



287 %" ROUND RAIL MOUNT



433 COAMING/GUNNEL CLAMP MOUNT Position your rod holder or accessory virtually anywhere on the lip of your kayaks coaming or boat gunnel, maximum clamp opening 1 ½".

# TRIPLE MOUNTING SYSTEM

Designed to be a multi-functional rod holder or accessory platform for any watercraft.







#### 441

#### **BACKING PLATE**

Adds structural support when attaching a Side Deck or Flush Deck Mount to a thinwalled watercraft.

Convert your 3 1/2" track into a Scotty Post Mount. Scotty Side Deck Mount required.



#### 423

DOWNRIGGER ROD HOLDER ADAPTER Convert your 1023 tilt-up mounting bracket into a rod holder mount. Scotty Side Deck Mount required.

TRIPLE MOUN 241 Side Deck

# **Mounts** DOWNRIGGER MOUNTS



1027 RAIL MOUNT

2027

STANCHION MOUNT

Fits up to 1 1/2" round rails, including ovalshaped wooden rails. Transfers the downward and 2606/2612 Pedestal Risers. pressure to the boat gunnel. Fits all Scotty Downriggers (except Laketrollers) and can be Bolting dimensions: 41/2" x 31/2" used with 1026 Swivel Mount. Dimensions: 6 1/8" x 7 1/8"



1036 MOUNTING PLATE Extra mounting plate for 1026 Swivel Mount Dimensions: 51/2" x 5 1/2"



1037 MOUNTING PLATE Extra mounting plate for 1025 Right Angle Side Gunnel Mount. **Bolting dimensions:** 2"x 4" (side plate)




1028/1029 GIMBAL MOUNT - 9"

**GIMBAL MOUNT - 12"** 

and durability. For use in factory mounted Scotty Downriggers (except Laketrollers) and gimbal rod holders only. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount. Dimensions: 1028 6 1/8" x 7 1/8" (top plate)

9" x 1 ½" dia. (gimbal) 1029 6 1/8" x 7 1/8" (top plate) 12" x 1 ¾" dia. (gimbal)



2606/2612

Made from welded stainless steel for strength Made from 2" stainless steel tubing for the ultimate in strength and durability. Designed to be used with 1026 Swivel Mount, 1023 tilt-up Downrigger mount and 1010 compact

Bolting Dimensions: 3 1/2" x 4 1/2"

The Scotty Stanchion Mount enables you to

quickly mount a Downrigger to your boats railing stanchion for extra stability. Fits all

can be used with 1026 Swivel Mount.

**Dimensions :** 6" x 6" x 6" (top plate)

**Bolting Dimensions:** 2"x 4" (side plate)

#### 1023 TILT-UP MOUNTING BRACKET Extra mounting bracket for all Scotty tilt-up Downriggers. Also used as the mounting bracket for the Scotty 2500 Line Puller. Dimensions: 21/2" x 4 1/2" Bolting dimensions: 3<sup>3</sup>/<sub>4</sub>" x 1<sup>5</sup>/<sub>8</sub>"



1025 **RIGHT ANGLE SIDE GUNNEL MOUNT** For boats with narrow or uneven gunnels. Fits all Scotty Downriggers (except Laketrollers) and can be used with 1026 Swivel Mount. **Dimensions:** 6" x 6" x 6" (top plate) Bolting dimensions: 2"x 4" (side plate)



#### 1026 SWIVEL MOUNT Gives a full 360° of rotation with 16 locking

positions. Comes with 1036 Mounting Plate. Fits all Scotty Downriggers (except Laketrollers) Dimensions: 5 1/2" x 5 1/2" x 4" Bolting dimensions: 3 1/2" x 4 1/2"

# COMPACT DOWNRIGGER MOUNTS



(sold separately)



1015 SIDE MOUNT BRACKET

PORTABLE CLAMP-ON BRACKET Portable mounting option. Great for aluminum For boats with narrow or uneven gunnels. boats. Double stainless steel bolts and black anodized aluminum. 2" clamp opening. To be used with 1010 mounting bracket Dimensions: 5 1/4" x 2 1/2" Dimensions: 5<sup>5</sup>/<sub>8</sub>" x 4 <sup>3</sup>/<sub>4</sub>" x 3 <sup>1</sup>/<sub>8</sub>"

# DOWNRIGGER DUAL **ROD HOLDER**





247 **DUAL ROD HOLDER** Designed for use with the 1026 Swivel Mount. ROD HOLDER

347 **DUAL EXTENDED ROD MASTER II** Designed for use with the 1026 Swivel Mount. Designed for use with 1026 Swivel Mount.



Downrigger mount. Plate Dimensions: 5 1/2" x 5 1/2"

Fits 1050 Downriggers. To be used with 1010 mounting bracket (sold separately) Bolting Dimensions: 4 % 7 X 1 5 "



1010 QUICK-SLIDE DECK MOUNTING BRACKET Works with the 1025 through 1029 optional mounts. Dimensions: 4 <sup>3</sup>/<sub>4</sub>" x 5 <sup>5</sup>/<sub>8</sub>" Bolting Dimensions: 2<sup>5</sup>/<sub>8</sub>" x 4<sup>7</sup>/<sub>8</sub>"



447 **DUAL ROCKET LAUNCHER ROD HOLDER** 

# **Mounts** LOW PROFILE TRACK

Made from corrosion proof high strength composite materials that will last a lifetime. Top load design for quick and easy use. Use the 438 Gear Head Track Adaptor to mount all of your favourite rod holders and accessories.





# **Gear Head**

Quick and easy, drop and lock system. Allows you to secure and reposition your rod holder or accessory with just a twist. Fits all Scotty post mount rod holders and accessories.



#### 438 GEAR HEAD TRACK ADAPTER Use the Track Adaptor with the 440 Low Profile Track for quick and easy install and removal of your favourite Scotty post

mount product.

426 SIDE SLIDE TRACK ADAPTER

46





Our unique Track Adaptor allows you to securely fasten your favourite post mount product to a side mounted track.



428 GEAR HEAD MOUNT Use in conjunction with any of our height extenders to bring your rod or accessory closer to you.



# **Mounts** GLUE/STICK ON



342 GLUE/STICK ON PADDLE CLIP



445 2" GLUE/STICK ON MOUNT 438 Gear Head.



S

S

So

S



341 GLUE ON MOUNT O●



S

A A TO THE AND A DECK

348 3" GLUE/STICK ON MOUNT



**442 3" GLUE/STICK ON MOUNT** 309 Cup Holder Button.



443 3" GLUE/STICK ON MOUNT Flexible D-Ring.



**345** 2" GLUE/STICK ON MOUNT



# **Boating & Fishing Accessories**









hk Holder with Button and Post Mounts

210 NET MINDER for netting fish.



414 OFFSET GEARS ultimate versatility.




415 SLIP DISKS your rod holder or any Scotty post mount products.



**302** KAYAK STABILIZER quick and easy.

206 4 FT. ALUMINUM LANDING NET with 30" hoop. 207 6 FT. ALUMINUM LANDING NET with 30" hoop. 215 **REPLACEMENT NET BAG** (not shown)







**REPLACEMENT POST** The replacement post fits all Scotty post mount rod holders.



Doubles your rod holder positions for



Allows you to make micro adjustments to



Over 30 lbs. of extra buoyancy. Our unique design makes installation and removal





# **132** EXTRA LONG GRIP MOUNTING RIVETS

These structural rivets are an excellent solution for mounting hardware where you don't have access to the back side of a mount (10 pcs)

# **133** WELL NUT MOUNTING KITS Securely fasten a multitude of products onto thin walled structures with ease.

Fasteners included.



327 FENDER RINGS Use to attach a fender to your Scotty post mounts (2 pcs)

## 416 **ROD BALANCER/REST**





425 **ROD BUTT CUSHION** Universal rod butt tube allowing for simple rod to rod transfer. 000

420 REEL E-Z ROD HANDLE Take the strain off of your wrist and back by changing the angle of your arm and the leverage of your fishing rod.



Available in 4, 16, or 100 pack options.



Non-resistance approach encourages more efficient and successful strike to hook-sets when fishing.

# **Bait Jars**

Vented lid for optimal scent release but prevents sealice entry. Quick lock threaded lid.



# **Accessories BOATING ACCESSORIES**

<u>--</u>C=`

-0= %



278 ANCHOR LOCK Fixed mount.





ANCHOR LOCK -0- % 244 Flush Deck Mount.



**797** ANCHOR KIT Anchor Kit for still water use only





101 \$ OAR COLLARS Made from polyethylene. Quick and easy to install. 1 ¾" inside dia. can be trimmed to fit smaller oars (fasteners included)  $\mathbf{O}\mathbf{O}$ 

**102** STRONGBACK OARLOCKS 2 <sup>1</sup>/<sub>8</sub>" Standard Oar. **104** STRONGBACK OARLOCKS 1 ¾" Small Oar.



990 **KNIFE SHARPENER** Safe and easy to use. Comes with rotatable carbide blades.

590 Snap Hooks (6 pcs)



TARP CLIPS Yellow (4 pcs)

301

Black(60 pcs)

locking jaws for the ultimate hold.

TARP CLIPS BULK/BUCKET

310 CUP HOLDER Gunnel mount **A** and **C**  $\mathbf{O}\mathbf{O}$ 311 Quick and easy to use design with powerful **CUP HOLDER** Post and Gunnel mount. A, B and C O 309 CUP HOLDER BUTTONS C (2 pcs)





So

Ŕ

#### 103 OARLOCK POSTS Adapt your post mount to a $\frac{1}{2}$ " oarlock socket.





3010 Snap Hook Key Chain available colours. 





125 TUMBLER CUP Holds up to 12 oz. dishwasher safe.



# **Paddle Sports**






**342** GLUE/STICK ON PADDLE CLIP



341 GLUE-ON MOUNT O●

So

436 STAND UP PADDLE BOARD LEASH PLUG ADAPTER The adapter attaches to your SUP and accessories.









**130** PADDLE LEASH Ŵ Secure your paddle or fishing rod.




pre-installed leash plug with a stainless steel J Hook. Accepts all post mount rod holders



**445** 2" GLUE/STICK ON MOUNT 438 Gear Head.







# Safety Equipment



803 12V WHITE NAVIGATION LIGHT Surface mount. 806 **12V RED NAVIGATION LIGHT** Masthead base.



780 SAFETY WHISTLE 784 PEALESS SAFETY WHISTLE



774 WATERTIGHT STORAGE CONTAINER

789 WATERTIGHT FIRST AID KIT (not available in the US.)





130 PADDLE LEASH

**793** RESCUE THROW BAG





795 WATERTIGHT FLASHLIGHT

779 SMALL VESSEL SAFETY EQUIPMENT



# Pumps





# **Sea-light**

ACR detachable, fully sealed LED C-Light<sup>™</sup>, bright 20 Lumen White LED for location assistance during emergencies. Easy twist ON/OFF activation that is waterproof tested. Impact resistant construction and is USCG/SOLAS approved. C-Light<sup>™</sup> is easily removed and can be attached to life jackets, backpacks or hang from a pocket. C-Light<sup>™</sup> requires two "AA" 1.5V batteries (batteries not included) C-Light<sup>™</sup> has an extensive and continuous operating life for over 30 hours.

#### 835 SEA-LIGHT

#### WITH SUCTION CUP MOUNT

A non-permanent safety addition that is perfectly portable for kayaks and small watercraft. Designed to meet the demands of the sea but also ideal for within a vehicle, for camping and whenever a reliable high efficient light is needed. Includes versatile suction cup mount for use in both salt and fresh water.

## SEA-LIGHT

WITH POLE & BALL MOUNT The Scotty Ball System joint design enables a smooth and complete full range of motion for the Sea-Light. The corrosion proof construction of this system provides a long service life in both fresh and salt water applications as it is designed with stainless steel fasteners and a stainless pole. Base Mount Dimensions: 2 1/4 x 21/4 Overall Height: Stands 41" tall Sea-Light Pole Diameter: 1/2".

## scotty fishing products



# @scottyproducts

11 Scotty® Products Retweeted

Big Coast @reallybigcoast · Feb 2 @Kingfisherboats @YamahaMotorCa @ScottyProducts @IslanderReels @RaymarineInc @TourismBCNorth @boatingdreams Big Coast Season 10 on all networks this weekend...headed Southbound on BC Inside Passage to Hartley Bay, traditional territory of the GitGa'at Nation. #TheWayToFish



0 17 1 0 4

Scotty® Products @ScottyProducts · Feb 2 Countless grants, research programs and events are supported by Pacific Salmon Foundation - Here is a great... fb.me/2GEJXTarD





# **Jordan-Scotty** FISH EGG INCUBATOR SYSTEMS

#### Purpose

The critical need to enhance our salmon and fish stocks is well documented. Natural spawning has declined dramatically over the past few decades for many reasons. Many of the spawning areas no longer exist. The areas that do still exist are only partially effective and many of our original salmon stocks are now extinct. The need for enhancement programs by volunteers and organizations has never been greater. The availability of the Jordan-Scotty Fish Egg Incubator unit can be of great help for our precious salmon and other fish stocks and their eventual recovery. The development of the Jordan-Scotty Fish Egg Incubator is the direct result of the desire by Scotty to make a contribution to the enhancement of the salmon, trout and walleye stocks in the streams and creeks around the world. Over the years, due to human interference, these habitats have lost their natural spawning and rearing capabilities. At Scotty, we hope that our efforts will assist bringing the fish back. With your help, future generations will be able to watch fish return to streams and rivers in historic quantities.

For use by everyone who is interested in enhancing salmon and other fish runs in any stream, river or lake. Perfect for streamkeeper groups, research applications and education projects.


#### **History and Design**

The original incubator prototype was designed and tested by Mr. Fred Jordan, a Salmonid Technician for many years. He conceived the idea for stream enhancement during the 1980's. The success of his early experiments with this unit led to research, development and further design of the incubator by Scott Plastics Ltd. Sidney, BC. This unit is extremely efficient and very compact. It is simple to use, durable, cost effective and practical, making it an excellent addition to enhancement projects.

The Jordan/Scotty Fish Egg Incubator is a scientifically designed and tested plastic incubation unit and was developed to provide an efficient aid in the stream incubating of fish eggs. The unique design either eliminates or minimizes most of the problems experienced by natural spawning. Fungus infection is virtually eliminated and eggs are protected from predators and silt suffocation. Testing and usage indicates that survival rates from egg to fry is often better than 65-95% as compared to natural spawning survival rates of between 5-20%.

In nature, high egg loss rates can easily be caused by poor fertilization when deposited eggs not being successfully buried, fungus from dead eggs spreading to healthy eggs, attrition by predators, and silt suffocation. The Jordan-Scotty Fish Incubator addresses these issues and others. Egg quality can be checked during the loading process and all eggs are fertilized before loading. Eggs are quarantined from each other during development, limiting the spread of disease and fungal infection. Eggs are safe from predators and alevin are safely contained until their yolk sac have been absorbed, increasing survival rates.







#### **How It Works**

A pair of loaded plates are bolted together to create a "unit" designed to hold 200 single eggs or more, depending on species and size of egg. The plates are held together by nylon tie bolts and stainless steel nuts and can be grouped in up to 5 unit sets. Escape holes allow the hatched fry to swim free once they have developed in their protected environment. The assembled egg units are anchored in streams by securing them to re-bar stakes or some other permanent holders.

Incubator plates are available with three sizes of escape hole, use to be determined by using our Incubator chart.

#### How to Obtain Jordan-Scotty Fish Egg Incubators

These Egg Incubator units are available at a nominal price to cover minimum raw materials and labour costs. Incubators can be purchased from:

Scott Plastics Ltd. / Scotty Manufacturing

**1**-800-214-0141



Scan the QR Code to direct you to an information video.

**SCOTTY FISHING & OUTDOOR PRODUCTS** 2065 Henry Ave West Sidney, British Columbia Canada V8L 5Z6

PHONE	250 656 8102
<b>TOLL FREE</b>	1 800 214 0141
FAX	250 656 8126
EMAIL	scotty@scotty.com